Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4252	PKI or (public near3 key near3 infrastruct$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 10:37
L2	184	(signal$5 or transmit$5 or email$5 or mail$5 or send$5) with (client or usr or employee or person or subject or terminal or workstation or computer) with (generat$5 or make or making or fabricat$5 or determin$5 or calculat$5) with (key$5 near5 pair)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 10:40
L3	2	L1 and L2 and @ad<"20000901"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 10:41
L4	79	L2 and @ad<"20000901"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 11:46
L5	4	(("6871276") or ("6799197")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/23 11:46
L6	4	"6871276" "6799197"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 11:46
L8	3	L5 and (key$5 or updat$5 or pair or CA or authorit$5 or PKI or certificat$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 13:11
L9	105	713/175.ccls. and @ad<"20000609"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/23 13:23

| L10 | 172 | (CA or certificat$5 or authority or server) with (signal$5 or call$5 or send$5 or messag$5 or email$5 or mail or order$5 or transmit$5 or request$5 or query$5) with (client or user or subject or person or terminal or workstation or CPU) with (generat$5) with (key$5 with pair) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/23 13:25 |
| L11 | 51 | L10 and @ad<"20000609" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/23 13:25 |